

Reference




TABLE OF CONTENTS

	Page
Reference by Model #	1
Reference by Part #	3
Reference by Vendor.....	6

DETECTORS AND ACCESSORIES REFERENCE (By Model #)

MODEL #	PART #	VENDOR	VOLTAGE	DESCRIPTION	STATUS
2098-9201	477-704	Hochiki	24VDC	Photo Det. w/LED	
2098-9202	477-705	Hochiki	24VDC	Photo Det. w/LED & 135° Heat	
2098-9203	477-706	Hochiki	24VDC	Photo Det. w/LED	
2098-9207	477-703	Det. Systems	24VDC	Projected Beam Det.	
2098-9208	477-725	Matsushita	24VDC	Photo Det. Head w/LED	
2098-9209	477-726	Matsushita	24VDC	Photo Det. w/LED	
2098-9211	477-739	Hochiki		Base, 2-Wire	
2098-9400	477-001	Chemetron		4255-1, 136° Heat, Rate-of-Rise & Fixed Temp.	
2098-9401	477-002	Chemetron		4255-2, 190° Heat, Rate-of-Rise & Fixed Temp.	
2098-9402	477-003	Chemetron		4255-3, 136° Heat, Fixed Temp.	
2098-9403	477-004	Chemetron		4255-4, 190° Heat, Fixed Temp.	
2098-9430	477-010	Chemetron		4256-1, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
2098-9431	477-011	Chemetron		4256-2, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
2098-9432	477-012	Chemetron		4256-3, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
2098-9433	477-013	Chemetron		4256-4, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
2098-9434	477-014	Chemetron		4256-5, 136° Heat, Fixed Temp., Explosion-Proof	
2098-9435	477-015	Chemetron		4256-6, 136° Heat, Fixed Temp., Explosion & Moisture-Proof	
2098-9436	477-016	Chemetron		4256-7, 190° Heat, Fixed Temp., Explosion-Proof	
2098-9437	477-017	Chemetron		4256-8, 190° Heat, Fixed Temp., Explosion & Moisture-Proof	
2098-9438	477-641	Hochiki		135° Heat, Rate-of-Rise & Fixed Temp. (For Addressable Bases Only)	
2098-9439	477-687	Chemetron		135° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
2098-9440	477-688	Chemetron		200° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
2098-9441	477-689	Chemetron		135° Heat, Fixed Temp., 1 Ckt.	
2098-9442	477-690	Chemetron		200° Heat, Fixed Temp., 1 Ckt.	
2098-9443	477-691	Chemetron		135° Heat, Rate-of Rise & Fixed Temp., 2 Ckts.	
2098-9444	477-692	Chemetron		200° Heat, Rate-of-Rise & Fixed Temp., 2 Ckts.	
2098-9445	477-693	Chemetron		135° Heat, Fixed Temp., 2 Ckts.	
2098-9446	477-694	Chemetron		200° Heat, Fixed Temp., 2 Ckts.	
2098-9460	477-005	Chemetron		4265-135, 135° Heat, Fixed Temp., 1 Ckt.	
2098-9461	477-006	Chemetron		4265-200, 200° Heat, Fixed Temp., 1 Ckt.	
2098-9462	477-007	Chemetron		4266-135, 135° Heat, Fixed Temp., 2 Ckts.	
2098-9463	477-008	Chemetron		4266-200, 200° Heat, Fixed Temp., 2 Ckts.	
2098-9464	477-079	Edwards		4255-5 135° Heat, Rate-of-Rise & Fixed Temp.	
2098-9478	477-740	Hochiki		135° Heat Det. Head, Fixed Temp. (For Addressable Bases Only)	
2098-9518	477-561	Statitrol	24VDC	Base, 4-Wire w/TBL Relay	Service Part Only
2098-9528	477-599	Simplex		Base, 2-Wire w/LED	Service Part Only
2098-9536	477-636	Simplex	24VDC	Base, 4-Wire Aux. Relay w/LED	
2098-9544	477-643	Hochiki	24VDC	Head Ion	
2098-9560	477-573	Fenwal		Det. Ion Dual Chamber	
2098-9561	477-574	Fenwal		Base, 2-Wire	
2098-9562	477-575	Fenwal		Base w/LED	
2098-9563	477-576	Fenwal		Base w/Relay	
2098-9564	477-600	Fenwal		Base, 4-Wire Canadian	
2098-9575	477-674	BRK	24VDC	Ion Det., Complete	
2098-9576	477-724	Hochiki	24VDC	Ion Det. Head w/LED	
2098-9577	477-711	BRK	24VDC	Ion Det., Complete	
2098-9605	477-617	Gentex	24VDC	Single Station Photo, Alm. C, Aux. A	
2098-9637	477-644	Hochiki		Base, 2-Wire	
2098-9641	617-365	Simplex		Addressable Det. Base, MAPNET™ I	
2098-9643	617-506	Simplex		Addressable Det. Base w/LED, MAPNET™ I	
2098-9645	631-043	Simplex		Addressable Duct Housing, MAPNET™ II	
2098-9649	631-041	Simplex	24VDC	Duct Housing, Non-Addressable	
2098-9651	617-608	Simplex		Addressable Det. Base, MAPNET™ II	

MODEL #	PART #	VENDOR	VOLTAGE	DESCRIPTION	STATUS
2098-9652	617-616	Simplex		Addressable Det. Base w/LED, MAPNET™ II	
2098-9666	477-618	Gentex		Single Station Photo Tandem Circuit	
2098-9667	477-619	Gentex		Single Station Alarm Aux. Contacts	
2098-9668	477-620	Gentex		Single Station, 117" Heat	
2098-9669	477-653	Gentex	120VAC	Single Station Photo, 1 Form A, 1 Form C	
2098-9673	477-680	Gentex	120VAC	Photo Det., Single Station w/Visual	
2098-9674	477-733	Gentex	120VAC	Photo Det., Single Station	
2098-9675	477-734	Gentex	120VAC	Photo Det. w/Heat, Single Station	
2098-9701	477-022	Chemetron		Heat Coil Replacement for 4267-135	
2098-9702	477-023	Chemetron		Heat Coil Replacement for 4267-200	
2098-9715	687-066	Simplex		Det. Smk. Wire Guard, 4902-3	
2098-9716	687-067	Simplex		Thrm. Wire Guard, 4902	
2098-9734	750-039	Simplex	120VAC	Det. Pwr. Pack	Use with -9529
2098-9735	635-523	Simplex	24VDC	EOLR	
2098-9736	635-524	Simplex	120VAC	EOLR	
2098-9737	635-529	Simplex	24VDC	Relay 1, Form C, 3A	
2098-9738	635-531	Simplex	24VDC	Relay 2, Form C	
2098-9739	635-537	Simplex	24VDC	EOL Relay	
2098-9744	621-137	Simplex	1.7VDC	Red LED Plate (Remote)	
2098-9745	617-488	Simplex		Addressable Module, MAPNET™ I	
2098-9747	740-587	Simplex	120VAC	Power Adaptor (For 2098-9648)	
2098-9749	617-615	Simplex		Addressable Module, MAPNET™ II	
2098-9769	631-023	Simplex		Replacement Exhaust Tube for 2098-9645, -9649	
2098-9784	621-115	Simplex	28VDC	LED Plate	
2098-9785	621-116	Simplex	1.4VDC	LED Plate	
2098-9796	631-024	Simplex		12" Sampling Tube	
2098-9797	631-025	Simplex		24" Sampling Tube	
2098-9798	631-026	Simplex		46" Sampling Tube	
2098-9799	631-027	Simplex		96" Sampling Tube	
2098-9803	621-144	Simplex	28VDC	LED Plate	
2098-9804	631-036	Simplex		24" Sampling Tube	
2098-9805	621-147	Simplex	28VDC	LED/SW. Plate	
2098-9806	621-151	Simplex	28VDC	LED/SW. Plate	
2098-9807	740-675	Simplex		Adaptor Plate for Heat Detectors 2098-9400 through -9403	
2098-9808	621-152	Simplex	28VDC	LED Plate	
2098-9816	636-110	Simplex		LED/SW. Plate (For use w/2098-9207 Beam Det.)	
4098-9004	477-728	Armtec		UV/IR Fire Det. (JP4 at 150')	
4098-9005	477-729	Armtec		UV/IR Fire Det. (JP4 at 100')	
4098-9006	477-730	Armtec		UV/IR Fire Det. (Gas at 45', Auto Test)	
4098-9007	477-731	Armtec		UV/IR Fire Det. (Gas at 45', Manual Test)	
4098-9008	477-732	Armtec		UV/IR Fire Det. (Gas at 45', No Test)	
4098-9701	477-718	Hochiki		Photo Sensor (For TrueAlarm™ Bases)	
4098-9702	631-054	Simplex		TrueAlarm™ Duct Housing w/Relay	
4098-9703	631-057	Simplex		TrueAlarm™ Duct Housing	
4098-9716	477-719	Hochiki		Ion Sensor (For TrueAlarm™ Bases)	
4098-9731	477-720	Hochiki		135° Heat Sensor, Fixed Temp. & Rate-of-Rise (For TrueAlarm™ Bases)	
4098-9781	617-691	Simplex		Sensor Base	
4098-9782	617-692	Simplex		Sensor Base w/Sounder	
4098-9783	617-693	Simplex		Sensor Base w/Relay Drive	
4098-9801	477-716	Armtec		Swivel Mount for 4098-9004 through -9008	
4098-9802	477-717	Armtec		Air Shield for 4098-9004 through -9008	
4098-9803	631-053	Simplex		Baffle (For 4098-9702, -9703 Duct Housings)	
4098-9804	617-754	Simplex		Encapsulated Relay (For use w/Sensor Bases)	

DETECTORS AND ACCESSORIES REFERENCE (By Part #)

PART #	MODEL #	VENDOR	VOLTAGE	DESCRIPTION	STATUS
477-001	2098-9400	Chemetron		4255-1, 136° Heat, Rate-of-Rise & Fixed Temp.	
477-002	2098-9401	Chemetron		4255-2, 190° Heat, Rate-of-Rise & Fixed Temp.	
477-003	2098-9402	Chemetron		4255-3, 136° Heat, Fixed Temp.	
477-004	2098-9403	Chemetron		4255-4, 190° Heat, Fixed Temp.	
477-005	2098-9460	Chemetron		4265-135, 135° Heat, Fixed Temp., 1 Ckt.	
477-006	2098-9461	Chemetron		4265-200, 200° Heat, Fixed Temp., 1 Ckt.	
477-007	2098-9462	Chemetron		4266-135, 135° Heat, Fixed Temp., 2 Ckts.	
477-008	2098-9463	Chemetron		4266-200, 200° Heat, Fixed Temp., 2 Ckts.	
477-010	2098-9430	Chemetron		4256-1, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
477-011	2098-9431	Chemetron		4256-2, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
477-012	2098-9432	Chemetron		4256-3, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
477-013	2098-9433	Chemetron		4256-4, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
477-014	2098-9434	Chemetron		4256-5, 136° Heat, Fixed Temp., Explosion-Proof	
477-015	2098-9435	Chemetron		4256-6, 136° Heat, Fixed Temp., Explosion & Moisture-Proof	
477-016	2098-9436	Chemetron		4256-7, 190° Heat, Fixed Temp., Explosion-Proof	
477-017	2098-9437	Chemetron		4256-8, 190° Heat, Fixed Temp., Explosion & Moisture-Proof	
477-022	2098-9701	Chemetron		Heat Coil Replacement for 4267-135	
477-023	2098-9702	Chemetron		Heat Coil Replacement for 4267-200	
477-072		ESL		Foam Sleeve for Model 424	Service Part Only
477-079	2098-9464	Edwards		4255-5 135° Heat, Rate-of-Rise & Fixed Temp.	
477-561	2098-9518	Statitrol	24VDC	Base, 4-Wire w/TBL Relay	Service Part Only
477-573	2098-9560	Fenwal		Det. Ion Dual Chamber	
477-574	2098-9561	Fenwal		Base, 2-Wire	
477-575	2098-9562	Fenwal		Base w/LED	
477-576	2098-9563	Fenwal		Base w/Relay	
477-599	2098-9528	Simplex		Base, 2-Wire w/LED	Service Part Only
477-600	2098-9564	Fenwal		Base, 4-Wire Canadian	
477-617	2098-9605	Gentex	24VDC	Single Station Photo, Alm. C, Aux. A	
477-618	2098-9666	Gentex		Single Station Photo Tandem Circuit	
477-619	2098-9667	Gentex		Single Station Alarm Aux. Contacts	
477-620	2098-9668	Gentex		Single Station, 117° Heat	
477-636	2098-9536	Simplex	24VDC	Base, 4-Wire Aux. Relay w/LED	
477-641	2098-9438	Hochiki		135° Heat, Rate-of-Rise & Fixed Temp. (For Addressable Bases Only)	
477-643	2098-9544	Hochiki	24VDC	Head Ion	
477-644	2098-9637	Hochiki		Base, 2-Wire	
477-652		Hochiki	24VDC	Replacement Det. Head for Duct 2098-9638 or -9639	Service Part Only
477-653	2098-9669	Gentex	120VAC	Single Station Photo, 1 Form A, 1 Form C	
477-669		Hochiki	24VDC	Replacement Photo Head for Duct 2098-9648	Service Part Only
477-674	2098-9575	BRK	24VDC	Ion Det., Complete	
477-680	2098-9673	Gentex	120VAC	Photo Det., Single Station w/Visual	
477-687	2098-9439	Chemetron		135° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
477-688	2098-9440	Chemetron		200° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
477-689	2098-9441	Chemetron		135° Heat, Fixed Temp., 1 Ckt.	
477-690	2098-9442	Chemetron		200° Heat, Fixed Temp., 1 Ckt.	
477-691	2098-9443	Chemetron		135° Heat, Rate-of Rise & Fixed Temp., 2 Ckts.	
477-692	2098-9444	Chemetron		200° Heat, Rate-of-Rise & Fixed Temp., 2 Ckts.	
477-693	2098-9445	Chemetron		135° Heat, Fixed Temp., 2 Ckts.	
477-694	2098-9446	Chemetron		200° Heat, Fixed Temp., 2 Ckts.	
477-703	2098-9207	Det. Systems	24VDC	Projected Beam Det.	
477-704	2098-9201	Hochiki	24VDC	Photo Det. w/LED	
477-705	2098-9202	Hochiki	24VDC	Photo Det. w/LED & 135° Heat	
477-706	2098-9203	Hochiki	24VDC	Photo Det. w/LED	
477-711	2098-9577	BRK	24VDC	Ion Det., Complete	
477-716	4098-9801	Armtec		Swivel Mount for 4098-9004 through -9008	
477-717	4098-9802	Armtec		Air Shield for 4098-9004 through -9008	
477-718	4098-9701	Hochiki		Photo Sensor (For TrueAlarm™ Bases)	
477-719	4098-9716	Hochiki		Ion Sensor (For TrueAlarm™ Bases)	

PART #	MODEL #	VENDOR	VOLTAGE	DESCRIPTION	STATUS
477-720	4098-9731	Hochiki		135° Heat Sensor, Fixed Temp. & Rate-of-Rise (For TrueAlarm™ Bases)	
477-724	2098-9576	Hochiki	24VDC	Ion Det. Head w/LED	
477-725	2098-9208	Matsushita	24VDC	Photo Det. Head w/LED	
477-726	2098-9209	Matsushita	24VDC	Photo Det. w/LED	
477-728	4098-9004	Armtec		UV/IR Fire Det. (JP4 at 150')	
477-729	4098-9005	Armtec		UV/IR Fire Det. (JP4 at 100')	
477-730	4098-9006	Armtec		UV/IR Fire Det. (Gas at 45', Auto Test)	
477-731	4098-9007	Armtec		UV/IR Fire Det. (Gas at 45', Manual Test)	
477-732	4098-9008	Armtec		UV/IR Fire Det. (Gas at 45', No Test)	
477-733	2098-9674	Gentex	120VAC	Photo Det., Single Station	
477-734	2098-9675	Gentex	120VAC	Photo Det. w/Heat, Single Station	
477-739	2098-9211	Hochiki		Base, 2-Wire	
477-740	2098-9478	Hochiki		135° Heat Det. Head, Fixed Temp. (For Addressable Bases Only)	
553-250		Simplex		Contact Jumper for Hochiki Bases	
553-255		Hochiki		Sensitivity Monitor, SM-101	
553-256		Hochiki		Adaptor Assy. (For SM-101), RMA-101	
553-394		Hochiki		Extendable Smoke Generator, TSE-A100	
553-406		Hochiki		Punk Sticks (For TSE-A100), TSE-P-100	Service Part Only
553-407		Hochiki		Metric Allen Wrench for Hochiki Detectors	Service Part Only
553-419		Hochiki		Det. Monitor, TSI-A100	Service Part Only
553-420		Hochiki		Differential Meter, DHTK-1	Service Part Only
553-423		Hochiki		Test & Removal Tool, TSJ-A100 & TSC-A100	Service Part Only
553-431		Hochiki		Det. Cleaning Kit, TX215C	Service Part Only
553-432		Hochiki		Replacement Punk Sticks	Service Part Only
553-487		Hochiki		Ultrasonic Cleaner, AL-789-USC3	Service Part Only
553-488		Hochiki		Freon Cleaning Fluid, FREON-TF	Service Part Only
553-504		BRK		Test Tool	Service Part Only
553-509		Hochiki		Test Filter Kit (For Beam Det.), TSK-B110	
553-533		Hochiki		Sensitivity Tester, TSA-B110	Service Part Only
553-536		Hochiki		Test & Removal Tool, TSC-A100 & SLK-M	Service Part Only
553-537		BRK		Test Kit	Service Part Only
553-544		BRK		Removal Tool	Service Part Only
553-552		Hochiki		Holder for 553-423	Service Part Only
553-553		Hochiki		Holder for 553-536	Service Part Only
617-365	2098-9641	Simplex		Addressable Det. Base, MAPNET™ I	
617-488	2098-9745	Simplex		Addressable Module, MAPNET™ I	
617-506	2098-9643	Simplex		Addressable Det. Base w/LED, MAPNET™ I	
617-608	2098-9651	Simplex		Addressable Det. Base, MAPNET™ II	
617-615	2098-9749	Simplex		Addressable Module, MAPNET™ II	
617-616	2098-9652	Simplex		Addressable Det. Base w/LED, MAPNET™ II	
617-691	4098-9781	Simplex		Sensor Base	
617-692	4098-9782	Simplex		Sensor Base w/Sounder	
617-693	4098-9783	Simplex		Sensor Base w/Relay Drive	
617-754	4098-9804	Simplex		Encapsulated Relay (For use w/Sensor Bases)	
621-115	2098-9784	Simplex	28VDC	LED Plate	
621-116	2098-9785	Simplex	1.4VDC	LED Plate	
621-137	2098-9744	Simplex	1.7VDC	Red LED Plate (Remote)	
621-144	2098-9803	Simplex	28VDC	LED Plate	
621-147	2098-9805	Simplex	28VDC	LED/SW. Plate	
621-151	2098-9806	Simplex	28VDC	LED/SW. Plate	
621-152	2098-9808	Simplex	28VDC	LED Plate	
631-023	2098-9769	Simplex		Replacement Exhaust Tube for 2098-9645, -9649	
631-024	2098-9796	Simplex		12" Sampling Tube	
631-025	2098-9797	Simplex		24" Sampling Tube	
631-026	2098-9798	Simplex		46" Sampling Tube	
631-027	2098-9799	Simplex		96" Sampling Tube	
631-036	2098-9804	Simplex		24" Sampling Tube	

PART #	MODEL #	VENDOR	VOLTAGE	DESCRIPTION	STATUS
631-041	2098-9649	Simplex	24VDC	Duct Housing, Non-Addressable	
631-043	2098-9645	Simplex		Addressable Duct Housing, MAPNET™ II	
631-053	4098-9803	Simplex		Baffle (For 4098-9702, -9703 Duct Housings)	
631-054	4098-9702	Simplex		TrueAlarm™ Duct Housing w/Relay	
631-057	4098-9703	Simplex		TrueAlarm™ Duct Housing	
635-523	2098-9735	Simplex	24VDC	EOLR	
635-524	2098-9736	Simplex	120VAC	EOLR	
635-529	2098-9737	Simplex	24VDC	Relay 1, Form C, 3A	
635-531	2098-9738	Simplex	24VDC	Relay 2, Form C	
635-537	2098-9739	Simplex	24VDC	EOL Relay	
636-110	2098-9816	Simplex		LED/SW. Plate (For use w/2098-9207 Beam Det.)	
687-066	2098-9715	Simplex		Det. Smk. Wire Guard, 4902-3	
687-067	2098-9716	Simplex		Thrm. Wire Guard, 4902	
740-587	2098-9747	Simplex	120VAC	Power Adaptor (For 2098-9648)	
740-675	2098-9807	Simplex		Adaptor Plate for Heat Detectors 2098-9400 through -9403	
750-039	2098-9734	Simplex	120VAC	Det. Pwr. Pack	Use with -9529

DETECTORS AND ACCESSORIES REFERENCE (By Vendor)

VENDOR	MODEL #	PART #	VOLTAGE	DESCRIPTION	STATUS
Armtec	4098-9004	477-728		UV/IR Fire Det. (JP4 at 150')	
Armtec	4098-9005	477-729		UV/IR Fire Det. (JP4 at 100')	
Armtec	4098-9006	477-730		UV/IR Fire Det. (Gas at 45', Auto Test)	
Armtec	4098-9007	477-731		UV/IR Fire Det. (Gas at 45', Manual Test)	
Armtec	4098-9008	477-732		UV/IR Fire Det. (Gas at 45', No Test)	
Armtec	4098-9801	477-716		Swivel Mount for 4098-9004 through -9008	
Armtec	4098-9802	477-717		Air Shield for 4098-9004 through -9008	
BRK	2098-9575	477-674	24VDC	Ion Det., Complete	
BRK	2098-9577	477-711	24VDC	Ion Det., Complete	
BRK		553-504		Test Tool	Service Part Only
BRK		553-537		Test Kit	Service Part Only
BRK		553-544		Removal Tool	Service Part Only
Chemetron	2098-9400	477-001		4255-1, 136° Heat, Rate-of-Rise & Fixed Temp.	
Chemetron	2098-9401	477-002		4255-2, 190° Heat, Rate-of-Rise & Fixed Temp.	
Chemetron	2098-9402	477-003		4255-3, 136° Heat, Fixed Temp.	
Chemetron	2098-9403	477-004		4255-4, 190° Heat, Fixed Temp.	
Chemetron	2098-9430	477-010		4256-1, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
Chemetron	2098-9431	477-011		4256-2, 136° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
Chemetron	2098-9432	477-012		4256-3, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion-Proof	
Chemetron	2098-9433	477-013		4256-4, 190° Heat, Rate-of-Rise & Fixed Temp., Explosion & Moisture-Proof	
Chemetron	2098-9434	477-014		4256-5, 136° Heat, Fixed Temp., Explosion-Proof	
Chemetron	2098-9435	477-015		4256-6, 136° Heat, Fixed Temp., Explosion & Moisture-Proof	
Chemetron	2098-9436	477-016		4256-7, 190° Heat, Fixed Temp., Explosion-Proof	
Chemetron	2098-9437	477-017		4256-8, 190° Heat, Fixed Temp., Explosion & Moisture-Proof	
Chemetron	2098-9439	477-687		135° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
Chemetron	2098-9440	477-688		200° Heat, Rate-of-Rise & Fixed Temp., 1 Ckt.	
Chemetron	2098-9441	477-689		135° Heat, Fixed Temp., 1 Ckt.	
Chemetron	2098-9442	477-690		200° Heat, Fixed Temp., 1 Ckt.	
Chemetron	2098-9443	477-691		135° Heat, Rate-of Rise & Fixed Temp., 2 Ckts.	
Chemetron	2098-9444	477-692		200° Heat, Rate-of-Rise & Fixed Temp., 2 Ckts.	
Chemetron	2098-9445	477-693		135° Heat, Fixed Temp., 2 Ckts.	
Chemetron	2098-9446	477-694		200° Heat, Fixed Temp., 2 Ckts.	
Chemetron	2098-9460	477-005		4265-135, 135° Heat, Fixed Temp., 1 Ckt.	
Chemetron	2098-9461	477-006		4265-200, 200° Heat, Fixed Temp., 1 Ckt.	
Chemetron	2098-9462	477-007		4266-135, 135° Heat, Fixed Temp., 2 Ckts.	
Chemetron	2098-9463	477-008		4266-200, 200° Heat, Fixed Temp., 2 Ckts.	
Chemetron	2098-9701	477-022		Heat Coil Replacement for 4267-135	
Chemetron	2098-9702	477-023		Heat Coil Replacement for 4267-200	
Det. Systems	2098-9207	477-703	24VDC	Projected Beam Det.	
Edwards	2098-9464	477-079		4255-5 135° Heat, Rate-of-Rise & Fixed Temp.	
ESL		477-072		Foam Sleeve for Model 424	Service Part Only
Fenwal	2098-9560	477-573		Det. Ion Dual Chamber	
Fenwal	2098-9561	477-574		Base, 2-Wire	
Fenwal	2098-9562	477-575		Base w/LED	
Fenwal	2098-9563	477-576		Base w/Relay	
Fenwal	2098-9564	477-600		Base, 4-Wire Canadian	
Gentex	2098-9605	477-617	24VDC	Single Station Photo, Alm. C, Aux. A	
Gentex	2098-9666	477-618		Single Station Photo Tandem Circuit	
Gentex	2098-9667	477-619		Single Station Alarm Aux. Contacts	
Gentex	2098-9668	477-620		Single Station, 117° Heat	
Gentex	2098-9669	477-653	120VAC	Single Station Photo, 1 Form A, 1 Form C	
Gentex	2098-9673	477-680	120VAC	Photo Det., Single Station w/Visual	
Gentex	2098-9674	477-733	120VAC	Photo Det., Single Station	
Gentex	2098-9675	477-734	120VAC	Photo Det. w/Heat, Single Station	
Hochiki	2098-9201	477-704	24VDC	Photo Det. w/LED	
Hochiki	2098-9202	477-705	24VDC	Photo Det. w/LED & 135° Heat	
Hochiki	2098-9203	477-706	24VDC	Photo Det. w/LED	

VENDOR	MODEL #	PART #	VOLTAGE	DESCRIPTION	STATUS
Hochiki	2098-9211	477-739		Base, 2-Wire	
Hochiki	2098-9438	477-641		135° Heat, Rate-of-Rise & Fixed Temp. (For Addressable Bases Only)	
Hochiki	2098-9478	477-740		135° Heat Det. Head, Fixed Temp. (For Addressable Bases Only)	
Hochiki	2098-9544	477-643	24VDC	Head Ion	
Hochiki	2098-9576	477-724	24VDC	Ion Det. Head w/LED	
Hochiki	2098-9637	477-644		Base, 2-Wire	
Hochiki	4098-9701	477-718		Photo Sensor (For TrueAlarm™ Bases)	
Hochiki	4098-9716	477-719		Ion Sensor (For TrueAlarm™ Bases)	
Hochiki	4098-9731	477-720		135° Heat Sensor, Fixed Temp. & Rate-of-Rise (For TrueAlarm™ Bases)	
Hochiki		477-652	24VDC	Replacement Det. Head for Duct 2098-9638 or -9639	Service Part Only
Hochiki		477-669	24VDC	Replacement Photo Head for Duct 2098-9648	Service Part Only
Hochiki		553-255		Sensitivity Monitor, SM-101	
Hochiki		553-256		Adaptor Assy. (For SM-101), RMA-101	
Hochiki		553-394		Extendable Smoke Generator, TSE-A100	
Hochiki		553-406		Punk Sticks (For TSE-A100), TSE-P-100	Service Part Only
Hochiki		553-407		Metric Allen Wrench for Hochiki Detectors	Service Part Only
Hochiki		553-419		Det. Monitor, TSI-A100	Service Part Only
Hochiki		553-420		Differential Meter, DHTK-1	Service Part Only
Hochiki		553-423		Test & Removal Tool, TSJ-A100 & TSC-A100	Service Part Only
Hochiki		553-431		Det. Cleaning Kit, TX215C	Service Part Only
Hochiki		553-432		Replacement Punk Sticks	Service Part Only
Hochiki		553-487		Ultrasonic Cleaner, AL-789-USC3	Service Part Only
Hochiki		553-488		Freon Cleaning Fluid, FREON-TF	Service Part Only
Hochiki		553-509		Test Filter Kit (For Beam Det.), TSK-B110	
Hochiki		553-533		Sensitivity Tester, TSA-B110	Service Part Only
Hochiki		553-536		Test & Removal Tool, TSC-A100 & SLK-M	Service Part Only
Hochiki		553-552		Holder for 553-423	Service Part Only
Hochiki		553-553		Holder for 553-536	Service Part Only
Matsushita	2098-9208	477-725	24VDC	Photo Det. Head w/LED	
Matsushita	2098-9209	477-726	24VDC	Photo Det. w/LED	
Simplex	2098-9528	477-599		Base, 2-Wire w/LED	Service Part Only
Simplex	2098-9536	477-636	24VDC	Base, 4-Wire Aux. Relay w/LED	
Simplex	2098-9641	617-365		Addressable Det. Base, MAPNET™ I	
Simplex	2098-9643	617-506		Addressable Det. Base w/LED, MAPNET™ I	
Simplex	2098-9645	631-043		Addressable Duct Housing, MAPNET™ II	
Simplex	2098-9649	631-041	24VDC	Duct Housing, Non-Addressable	
Simplex	2098-9651	617-608		Addressable Det. Base, MAPNET™ II	
Simplex	2098-9652	617-616		Addressable Det. Base w/LED, MAPNET™ II	
Simplex	2098-9715	687-066		Det. Smk. Wire Guard, 4902-3	
Simplex	2098-9716	687-067		Thrm. Wire Guard, 4902	
Simplex	2098-9734	750-039	120VAC	Det. Pwr. Pack	Use with -9529
Simplex	2098-9735	635-523	24VDC	EOLR	
Simplex	2098-9736	635-524	120VAC	EOLR	
Simplex	2098-9737	635-529	24VDC	Relay 1, Form C, 3A	
Simplex	2098-9738	635-531	24VDC	Relay 2, Form C	
Simplex	2098-9739	635-537	24VDC	EOL Relay	
Simplex	2098-9744	621-137	1.7VDC	Red LED Plate (Remote)	
Simplex	2098-9745	617-488		Addressable Module, MAPNET™ I	
Simplex	2098-9747	740-587	120VAC	Power Adaptor (For 2098-9648)	
Simplex	2098-9749	617-615		Addressable Module, MAPNET™ II	
Simplex	2098-9769	631-023		Replacement Exhaust Tube for 2098-9645, -9649	
Simplex	2098-9784	621-115	28VDC	LED Plate	
Simplex	2098-9785	621-116	1.4VDC	LED Plate	
Simplex	2098-9796	631-024		12" Sampling Tube	
Simplex	2098-9797	631-025		24" Sampling Tube	
Simplex	2098-9798	631-026		46" Sampling Tube	
Simplex	2098-9799	631-027		96" Sampling Tube	

VENDOR	MODEL #	PART #	VOLTAGE	DESCRIPTION	STATUS
Simplex	2098-9803	621-144	28VDC	LED Plate	
Simplex	2098-9804	631-036		24" Sampling Tube	
Simplex	2098-9805	621-147	28VDC	LED/SW. Plate	
Simplex	2098-9806	621-151	28VDC	LED/SW. Plate	
Simplex	2098-9807	740-675		Adaptor Plate for Heat Detectors 2098-9400 through -9403	
Simplex	2098-9808	621-152	28VDC	LED Plate	
Simplex	2098-9816	636-110		LED/SW. Plate (For use w/2098-9207 Beam Det.)	
Simplex	4098-9702	631-054		TrueAlarm™ Duct Housing w/Relay	
Simplex	4098-9703	631-057		TrueAlarm™ Duct Housing	
Simplex	4098-9781	617-691		Sensor Base	
Simplex	4098-9782	617-692		Sensor Base w/Sounder	
Simplex	4098-9783	617-693		Sensor Base w/Relay Drive	
Simplex	4098-9803	631-053		Baffle (For 4098-9702, -9703 Duct Housings)	
Simplex	4098-9804	617-754		Encapsulated Relay (For use w/Sensor Bases)	
Simplex		553-250		Contact Jumper for Hochiki Bases	
Statitrol	2098-9518	477-561	24VDC	Base, 4-Wire w/TBL Relay	Service Part Only



Ed 11 91

Simplex Time Recorder Co., • Simplex Plaza • Gardner, Massachusetts 01441-0001 U.S.A.

PER-11-901